

# EAST Search History *(Interference Search Printout)*

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	((apparatus or device or support or hanger or assembly or holder or mount) and (chain or link\$3) and (dangling or hanging or suspending or suspended or suspend or hang or hung or dangle\$1) and (hook or saddle) and (crown or head or top) and (stem or extension or pole or post or bar or rod) and (slot or opening or hole or aperture or passage or cavity) and (height or adjusting or adjustable or adjust or lenghen or shorten or length)).clm.	US-PGPUB	OR	OFF	2006/04/19 17:51
L2	13	((apparatus or device or support or holder or mount or hanger) and (chain or band or strap) and (link\$\$3) and (hook or saddle or seat) and (crown or head or top) and (rim or ledge or edge or skirt or flange or overhang or lip) and (stem or post or pole or bar or rod or extension) and (slot or opening or hole or cavity or notch or aperture) and (height or adjust\$5 or length\$3 or short\$3)).clm.	US-PGPUB	OR	OFF	2006/04/19 17:52

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	44	((apparatus or device or support or hanger or assembly or holder or mount) and (chain or link\$3) and (dangling or hanging or suspending or suspended or suspend or hang or hung or dangle\$1) and (hook or saddle) and (crown or head or top) and (stem or extension or pole or post or bar or rod) and (slot or opening or hole or aperture or passage or cavity) and (height or adjusting or adjustable or adjust or lenghen or shorten or length)).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 17:53
L4	46	((apparatus or device or support or holder or mount or hanger) and (chain or band or strap) and (link\$3) and (hook or saddle or seat) and (crown or head or top) and (rim or ledge or edge or skirt or flange or overhang or lip) and (stem or post or pole or bar or rod or extension) and (slot or opening or hole or cavity or notch or aperture) and (height or adjust\$5 or length\$3 or short\$3)).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 17:55
L5	88	((apparatus or device or support or holder or mount or hanger) with (chain or band or strap)) same ((chain or band or strap) with link\$3) same (hook or saddle or seat) same ((crown or head or top) with (rim or ledge or edge or skirt or flange or overhang or lip)) same (stem or post or pole or bar or rod or extension) and ((crown or head or top) with (slot or opening or hole or cavity or notch or aperture)) and (height or adjusting or adjustable or adjust\$2 or length\$3 or short\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 17:59
L6	87	5 not (3 or 4)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 18:00

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	145	(apparatus support or holder or hanger or mount) same (chain with (suspending or hanging or hang or suspend\$2 or dangling or dangle\$1 or hung)) same (hook\$1 or saddle\$1 or seat\$1) and ((apparatus or support or holder or hanger or mount) with (head or crown or top or rim or flange or lip or apex)) and ((notch or opening or slot or hole or groove or slit or aperture) with (head or crown or top or rim or flange or lip or apex)) and (chain with link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 18:05